

Question Paper Preview

Notations :

- 1.Options shown in green color and with ✓ icon are correct.
- 2.Options shown in red color and with ✗ icon are incorrect.

Subject Name :	Lab Technician A Dental Hygienist
Duration :	120
Total Marks :	80
Display Marks:	Yes
Share Answer Key With Delivery Engine :	Yes
Actual Answer Key :	Yes
Calculator :	None
Magnifying Glass Required? :	No
Ruler Required? :	No
Eraser Required? :	No
Scratch Pad Required? :	No
Rough Sketch/Notepad Required? :	No
Protractor Required? :	No
Show Watermark on Console? :	Yes
Highlighter :	No
Auto Save on Console?	No
Change Font Color :	No
Change Background Color :	No
Change Theme :	No
Help Button :	No
Show Reports :	No

Show Progress Bar :

No

Lab Technician A Dental Hygienist

Group Number :	1
Group Id :	40255729
Group Maximum Duration :	0
Group Minimum Duration :	120
Show Attended Group? :	No
Edit Attended Group? :	No
Break time :	0
Group Marks :	80
Is this Group for Examiner? :	No
Examiner permission :	Cant View
Show Progress Bar? :	No

Curriculum Based

Section Id :	40255729
Section Number :	1
Section type :	Online
Mandatory or Optional :	Mandatory
Number of Questions :	80
Number of Questions to be attempted :	80
Section Marks :	80
Enable Mark as Answered Mark for Review and Clear Response :	Yes
Maximum Instruction Time :	0

Sub-Section Number : 1
Sub-Section Id : 40255729
Question Shuffling Allowed : Yes
Is Section Default? : null

Question Number : 1 Question Id : 4025572241 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0
Correct Marks : 1 Wrong Marks : 0.33

How many roots does a primary maxillary first molar have?

- A. One
- B. Two
- C. Three
- D. Four

Options :

✖ A

✖ B

✔ C

✖ D

Question Number : 1 Question Id : 4025572241 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0
Correct Marks : 1 Wrong Marks : 0.33

प्राथमिक ऊध्वहनु प्रथम चर्वण के कितने मूल होते है?

- A. एक
- B. दो
- C. तीन
- D. चार

Options :

✖ A

✖ B

✔ C

✖ D

Question Number : 2 Question Id : 4025572242 Question Type : MCQ Option Shuffling : No Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

The Mandibular second molar occludes with the

- A. Maxillary first & second molars
- B. Maxillary second premolar & first molars
- C. Maxillary second & third molars
- D. Maxillary first & second premolars

Options :

✔ A

✖ B

✖ C

✖ D

Question Number : 2 Question Id : 4025572242 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

मेंडीबुलर द्वितीय मोलर ---- के साथ अधिधारित होते हैं।

- A. मैक्जिलरी प्रथम एवं द्वितीय मोलरों
- B. मैक्जिलरी द्वितीय प्री-मोलर एवं प्रथम मोलरों
- C. मैक्जिलरी द्वितीय एवं तृतीय मोलरों
- D. मैक्जिलरी प्रथम एवं द्वितीय प्री-मोलरों

Options :

✔ A

✖ B

✖ C

✖ D

Question Number : 3 Question Id : 4025572243 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

Crown of teeth is covered by:

- A. Dentine
- B. Enamel
- C. Both A & B
- D. None of the above

Options :

✖ A

✔ B

✖ C

✖ D

Question Number : 3 Question Id : 4025572243 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

दंत का क्राउन से ढका जाता है।

- A. डेनटाइन
- B. एनामेल
- C. दोनों A एवं B
- D. उपरोक्त में से कोई नहीं

Options :

✖ A

✓ B

✗ C

✗ D

Question Number : 4 Question Id : 4025572244 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

Spot the wrong statement about the Temporomandibular joint

- A. It is a bilateral joint
- B. It is a sliding hinge joint
- C. Mandible forms joints on both sides of skull
- D. One sided joint that can be moved without moving the other

Options :

✗ A

✗ B

✗ C

✓ D

Question Number : 4 Question Id : 4025572244 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

टेंपोरोमंदिबुलर जोड़ के बारे में कौन सा कथन गलत है पता लगाएं।

- A. यह एक द्विपक्षीय जोड़ है
- B. यह एक सर्पी हिंज जोड़ है
- C. कपाल (स्कल) के दोनो तरफ अधोहनु बनाने वाला जोड़
- D. एक तरफा जोड़ जिसे अन्य को हिलाए बिना हिलाया जा सकता है

Options :

✖ A

✖ B

✖ C

✔ D

Question Number : 5 Question Id : 4025572245 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

Which of the following is the most important essential fatty acid (EFA)?

- A. Linoleic acid
- B. Folic acid
- C. Stearic acid
- D. Leptonic acid

Options :

✔ A

✖ B

✖ C

✖ D

Question Number : 5 Question Id : 4025572245 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

निम्नलिखित में से कौन सबसे महत्वपूर्ण अनिवार्य वसा अम्ल (ईएफए) है?

- A. लिनोलेइक अम्ल
- B. फॉलिक अम्ल
- C. स्टीयरिक अम्ल
- D. लेष्टोनिक अम्ल

Options :

✔ A

✖ B

✖ C

✖ D

Question Number : 6 Question Id : 4025572246 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

A thin radio-opaque line running around the curvature of root in IOPA is _____

- A. Lamina dura
- B. Lamina propria
- C. Lamina limitans
- D. Lamina densa

Options :

✓ A

✗ B

✗ C

✗ D

Question Number : 6 Question Id : 4025572246 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

एक पतली रेडियो-अपारदर्शी रेखा आईओपीए में मूल की वक्रता के आसपास घूमती है....

- A. स्तरिका ड्यूरा
- B. स्तरिका प्रॉप्रिया
- C. स्तरिका लिमिटैन्स
- D. स्तरिका डेन्सा

Options :

✓ A

✗ B

✗ C

✗ D

Question Number : 7 Question Id : 4025572247 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

During the development of tooth, when cementum will not be formed?

- A. Ankylosis may occur
- B. Exfoliation of teeth may occur
- C. There may be delayed eruption
- D. No change

Options :

✗ A

✓ B

✗ C

✗ D

Question Number : 7 Question Id : 4025572247 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

दांतों के विकासक्रम के दौरान, सीमेंटम कब नहीं बनता है?

- A. ऐन्किलॉसिस उत्पन्न हो सकता है
- B. दांतों का अपशल्कन हो सकता है
- C. विलंब से प्रस्फुटन हो सकता है
- D. कोई बदलाव नहीं

Options :

✖ A

✔ B

✖ C

✖ D

Question Number : 8 Question Id : 4025572248 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

Human teeth are

- A. Diphyodont
- B. Thecodont
- C. Heterodont
- D. All of the above

Options :

✖ A

✖ B

✖ C

✔ D

Question Number : 8 Question Id : 4025572248 Question Type : MCQ Option Shuffling : No Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

मानव के दांत हैं

- A. डिफियोडोंट
- B. थेकोडोंट
- C. हीटिरोडोंट
- D. उपरोक्त सभी

Options :

✖ A

✖ B

✖ C

✔ D

Question Number : 9 Question Id : 4025572249 Question Type : MCQ Option Shuffling : No Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

The term 'overjet' in dentistry refers to

- A. Horizontal overlap
- B. Vertical overlap
- C. Transverse plane discrepancy
- D. All of the above

Options :

✓ A

✗ B

✗ C

✗ D

Question Number : 9 Question Id : 4025572249 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

दंत चिकित्सा में 'ओवरजेट' शब्द का तात्पर्य है

- A. क्षैतिज अतिव्यापन
- B. ऊर्ध्वाधर अतिव्यापन
- C. अनुप्रस्थ सतह विसंगति
- D. उपरोक्त सभी

Options :

✓ A

✗ B

✗ C

✖ D

Question Number : 10 Question Id : 4025572250 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

How many types of teeth are present in humans?

A. 3 types

B. 4 types

C. 6 types

D. 8 types

Options :

✖ A

✔ B

✖ C

✖ D

Question Number : 10 Question Id : 4025572250 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

मानव में कितने प्रकार के दांत होते हैं?

- A. 3 प्रकार के
- B. 4 प्रकार के
- C. 6 प्रकार के
- D. 8 प्रकार के

Options :

✖ A

✔ B

✖ C

✖ D

Question Number : 11 Question Id : 4025572251 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

Name the disease with 100% mortality

- A. Tetanus
- B. Carcinoma
- C. Hydrophobia
- D. Encephalitis

Options :

✖ A

✖ B

✔ C

✖ D

Question Number : 11 Question Id : 4025572251 Question Type : MCQ Option Shuffling : No Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

100% मृत्यु दर युक्त रोग का नाम है

- A. टेटनस
- B. कार्सिनोमा
- C. हाइड्रोफोबिया
- D. ऐन्सेफैलिटिस

Options :

✖ A

✖ B

✔ C

✖ D

Question Number : 12 Question Id : 4025572252 Question Type : MCQ Option Shuffling : No Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

The gingival crevicular fluid is increased in all except _____

- A. Gingivitis
- B. Smoking
- C. Periodontal pocket
- D. Trauma from occlusion

Options :

✘ A

✘ B

✘ C

✔ D

Question Number : 12 Question Id : 4025572252 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

मसूड़े के ग्रीवीय तरल ----- को छोड़कर बाकि सभी में बढ़ जाता है।

- A. मसूड़ा शोथ
- B. धूम्रपान
- C. पिरियोडॉन्टल पॉकेट
- D. संरोध अभिघात

Options :

✘ A

✘ B

✘ C

✓ D

Question Number : 13 Question Id : 4025572253 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

What is the leading cause of tooth loss in adults?

- A. Dental caries
- B. Ageing
- C. Periodontal disease
- D. Lack of personnel care

Options :

✗ A

✗ B

✓ C

✗ D

Question Number : 13 Question Id : 4025572253 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

वयस्कों में दंत ह्रास का मुख्य कारण क्या होता है?

- A. दंतीय केरीस
- B. उम्र बढ़ना
- C. पेरियोडोंटल बीमारी
- D. निजी देखभाल की कमी

Options :

✖ A

✖ B

✔ C

✖ D

Question Number : 14 Question Id : 4025572254 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

Gingival recession is most commonly due to:

- A. Tooth brush trauma
- B. Trauma from occlusion
- C. Extra teeth
- D. ANUG

Options :

✔ A

✖ B

✖ C

✖ D

Question Number : 14 Question Id : 4025572254 Question Type : MCQ Option Shuffling : No Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

मसूड़ों में प्रतिसार आमतौर पर इसके कारण होता है:

- A. टूथ ब्रश का जोखिम
- B. अंतर्रोध से जोखिम
- C. अतिरिक्त दांत
- D. ऐनग

Options :

✔ A

✖ B

✖ C

✖ D

Question Number : 15 Question Id : 4025572255 Question Type : MCQ Option Shuffling : No Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

The best screening test for haemophilia is

- A. BT
- B. CT
- C. PTT
- D. PT

Options :

✘ A

✘ B

✔ C

✘ D

Question Number : 15 Question Id : 4025572255 Question Type : MCQ Option Shuffling : No Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

हीमोफीलिया का सर्वोत्तम पार्श्विक परीक्षण है

- A. BT
- B. CT
- C. PTT
- D. PT

Options :

✘ A

✖ B

✔ C

✖ D

Question Number : 16 Question Id : 4025572256 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

All of the following are true about space travel in aeronautic dentistry except

- A. Dr Balwant Rai conducted effect of simulated microgravity on oral cavity
- B. As on date there have been no dentists /dental surgeons in space
- C. Space flight induces osteoarthritis in TM joint can exacerbate Temporomandibular joint disorder
- D. Astronauts/space traveller does not require strong teeth & outstanding oral health

Options :

✖ A

✖ B

✖ C

✔ D

Question Number : 16 Question Id : 4025572256 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

वैमानिकी दंतचिकित्सा विज्ञान में अंतरिक्ष भ्रमण के बारे में निम्नलिखित में से -----

को छोड़कर बाकि सभी तथ्य सही हैं।

- A. डॉ बलवंत राय ने मुख गुहिका पर अनुरूपित सूक्ष्म गुरुत्व के प्रभाव दर्शाए
- B. अंतरिक्ष में अभी तक कोई भी दंत चिकित्सक / दंत शल्य चिकित्सक नहीं गया
- C. अंतरिक्ष उड़ान से TM जोड़ों में ऑस्टिओअर्थ्रिटिस प्रेरित होता है जो टेम्पेरा मैडिबुलर जोड़ विसंगति को बढ़ा सकता है
- D. अंतरिक्ष यात्रियों के लिए मजबूत दांत एवं विशिष्ट मुख स्वास्थ्य की आवश्यकता नहीं होती

Options :

✖ A

✖ B

✖ C

✔ D

Question Number : 17 Question Id : 4025572257 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

Gray Baby syndrome is associated with

- A. Tetracyclines
- B. Streptomycin
- C. Chloramphenicol
- D. Ampicillin

Options :

✖ A

✖ B

✓ C

✗ D

Question Number : 17 Question Id : 4025572257 Question Type : MCQ Option Shuffling : No Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

ग्रे बेबी सिंड्रोम संबंधित है

- A. टेट्रासाइक्लाइंस
- B. स्ट्रेप्टोमाइसिन
- C. क्लोरैम्फेनिकोल
- D. ऐम्पिसिलिन

Options :

✗ A

✗ B

✓ C

✗ D

Question Number : 18 Question Id : 4025572258 Question Type : MCQ Option Shuffling : No Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

The human teeth are referred as

- A. Haplodont
- B. Triconodont
- C. Bunodont
- D. All of the above

Options :

✖ A

✖ B

✔ C

✖ D

Question Number : 18 Question Id : 4025572258 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

मानव दांत को संदर्भित किया जाता है

- A. हैप्लोडोंट
- B. ट्रिकोनोडोंट
- C. ब्यूनोडोंट
- D. उपरोक्त सभी

Options :

✖ A

✖ B

✔ C

✖ D

Question Number : 19 Question Id : 4025572259 Question Type : MCQ Option Shuffling : No Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

Astringents causes

- A. Contraction of tissues
- B. Dilation of tissues
- C. Proliferation of tissues
- D. Cessation of tissues

Options :

✔ A

✖ B

✖ C

✖ D

Question Number : 19 Question Id : 4025572259 Question Type : MCQ Option Shuffling : No Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

संकोचक करते हैं।

- A. टिशुओं के संकुचन
- B. टिशुओं के विस्फारण
- C. टिशुओं के प्रसार
- D. टिशुओं के अवसान

Options :

✓ A

✗ B

✗ C

✗ D

Question Number : 20 Question Id : 4025572260 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

Deficiency of vitamin D causes which of the following?

- A. Rickets
- B. Porphyria
- C. Osteomalacia
- D. Both A & C

Options :

✗ A

✖ B

✖ C

✔ D

Question Number : 20 Question Id : 4025572260 Question Type : MCQ Option Shuffling : No Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

विटामिन डी की कमी के कारण निम्न में से क्या होता है?

- A. रिकेट्स
- B. पॉर्फाइरिया
- C. ऑस्टियोमैलासिया
- D. दोनों A तथा C

Options :

✖ A

✖ B

✖ C

✔ D

Question Number : 21 Question Id : 4025572261 Question Type : MCQ Option Shuffling : No Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

Spot the wrong statement about wounds healing by secondary intention

- A. When opposite edges are not approximated, the wound fills in from base
- B. All steps of repair are exaggerated
- C. Process is known as secondary repair
- D. Granulation does not bleed easily

Options :

✘ A

✘ B

✘ C

✔ D

**Question Number : 21 Question Id : 4025572261 Question Type : MCQ Option Shuffling : No Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0**

Correct Marks : 1 Wrong Marks : 0.33

द्वितीय निश्चय द्वारा चोट ठीक होने के बारे में गलत कथन को हटाएं।

- A. जब विपरीत किनारों को सन्निकटन नहीं किया जाए, तो चोट आधार से भरती है।
- B. मरम्मत के सभी चरण बढ़ चढ़ कर होते हैं।
- C. प्रक्रिया को द्वितीय मरम्मत भी कहते हैं।
- D. ग्रैनुलेशन में आसानी से रक्तस्त्राव नहीं होता है।

Options :

✖ A

✖ B

✖ C

✔ D

Question Number : 22 Question Id : 4025572262 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

Which of the following corticosteroid has longer duration of action?

- A. Cortisone
- B. Betamethasone
- C. Fludrocortisone
- D. Prednisolone

Options :

✖ A

✔ B

✖ C

✖ D

Question Number : 22 Question Id : 4025572262 Question Type : MCQ Option Shuffling : No Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

निम्नलिखित में से कौन से कोर्टिकॉस्टेराइड की क्रियावधि लम्बी है?

- A. कॉर्टिसोन
- B. बीटामेथासोन
- C. फ्लुड्रोकॉर्टिसोन
- D. प्रिड्नीसोलोन

Options :

✖ A

✔ B

✖ C

✖ D

Question Number : 23 Question Id : 4025572263 Question Type : MCQ Option Shuffling : No Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

Which of the following is the cheapest & easiest source of Vitamin D?

- A. Halibut Liver oil
- B. Shark Liver oil
- C. Sunlight
- D. Fish fat

Options :

✖ A

✖ B

✔ C

✖ D

Question Number : 23 Question Id : 4025572263 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

निम्नलिखित में से कौन विटामिन डी का सबसे सस्ता और आसान स्रोत है?

- A. हेलिबुट के यकृत का तेल
- B. शार्क के यकृत का तेल
- C. सूर्य का प्रकाश
- D. मछली का वसा

Options :

✖ A

✖ B

✔ C

✖ D

Question Number : 24 Question Id : 4025572264 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

HIV associated gingivitis is best described by:

- A. Juvenile gingivitis
- B. Acute necrotizing gingivitis
- C. Linear gingival erythema
- D. Necrotizing ulcerative gingivitis

Options :

✖ A

✖ B

✔ C

✖ D

Question Number : 24 Question Id : 4025572264 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

एचआईवी संबंधित मसूड़े की सबसे बेहतर व्याख्या की जाती है.....

- A. नवयुवक के मसूड़े
- B. तीव्र परिगलित मसूड़े
- C. रैखिक मसूड़े त्वचा-रक्तिमा
- D. परिगलित व्रणीय मसूड़े

Options :

✖ A

✖ B

✔ C

✖ D

Question Number : 25 Question Id : 4025572265 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

HIV periodontitis is:

- A. Diagnostic of HIV infection
- B. Characterized by remission and exacerbations
- C. Characterized by necrosis and periodontal destructions
- D. Periodontitis is not seen in HIV infection

Options :

✖ A

✖ B

✔ C

✖ D

Question Number : 25 Question Id : 4025572265 Question Type : MCQ Option Shuffling : No Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

एचआईवी पीरियोडोंटिटिस है.....

- A. एचआईवी संक्रामक की निदानकारी
- B. विसर्ग तथा एक्सासरेबेशन द्वारा विशेषीकृत
- C. परिगलन तथा पीरियोडोंटल विनाशकारियों द्वारा विशेषीकृत
- D. पीरियोडोंटिटिस को एचआईवी संक्रमण में नहीं पाया गया

Options :

✖ A

✖ B

✔ C

✖ D

Question Number : 26 Question Id : 4025572266 Question Type : MCQ Option Shuffling : No Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

The full form of IOPA is:

- A. Intra oral plane radiography
- B. Intra oral periapical radiography
- C. Intra ocular plane radiography
- D. Intra osseous pixel radiography

Options :

✖ A

✔ B

✖ C

✖ D

Question Number : 26 Question Id : 4025572266 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

आईओपीए का पूर्ण रूप है.....

- A. इंट्रा ओरल प्लेन रेडियोग्राफी
- B. इंट्रा ओरल पेरियापिकल रेडियोग्राफी
- C. इंट्रा ऑक्यूलर प्लेन रेडियोग्राफी
- D. इंट्रा ओसियोस पिक्सल रेडियोग्राफी

Options :

✖ A

✔ B

✖ C

✖ D

Question Number : 27 Question Id : 4025572267 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

Anatomic structures related to implant can be best seen by

A. CT scan

B. OPG

C. IOPA

D. Occlusal radiography

Options :

✔ A

✖ B

✖ C

✖ D

Question Number : 27 Question Id : 4025572267 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

प्रत्यारोपण से संबंधित शारीरिक संरचना को ----- के द्वारा ठीक से देखा जा सकता है

- A. CT स्कैन
- B. OPG
- C. IOPA
- D. अंतर्रोधीय रेडियोग्राफी

Options :

✓ A

✗ B

✗ C

✗ D

Question Number : 28 Question Id : 4025572268 Question Type : MCQ Option Shuffling : No Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

An X-ray tube features all except

- A. Anode
- B. Silver block
- C. Filament
- D. Copper block

Options :

✗ A

✓ B

✗ C

✖ D

Question Number : 28 Question Id : 4025572268 Question Type : MCQ Option Shuffling : No Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

सभी के अलावा एक विकिरण ट्यूब के लक्षण हैं.....

- A. एनोड
- B. रजत खंड
- C. तंतु (फिलामेंट)
- D. ताँबा खंड

Options :

✖ A

✔ B

✖ C

✖ D

Question Number : 29 Question Id : 4025572269 Question Type : MCQ Option Shuffling : No Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

Radiation caries is, except

- A. Person receiving radiation therapy on head and neck is likely to develop radiation caries
- B. These develop after few weeks of exposure
- C. Decalcification around the cervical area of tooth develops
- D. Crown is spared

Options :

✖ A

✖ B

✖ C

✔ D

Question Number : 29 Question Id : 4025572269 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

विकीरण कैरीज़ है, सिवाय इसके

- A. सिर तथा गर्दन पर विकीरण थेरेपी प्राप्त करने वाले व्यक्ति को विकीरण कैरीज़ हो सकता है।
- B. संपर्क में आने के कुछ सप्ताहों के बाद यह बढ़ता है
- C. दांतों के सर्वाइकल क्षेत्र के आसपास डीकैल्सिफिकेशन होता है
- D. क्राउन को छोड़ा जाता है

Options :

✖ A

✖ B

✖ C

✔ D

Question Number : 30 Question Id : 4025572270 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

Which of the following cannot be seen radiographically?

- A. Interproximal caries
- B. Root caries
- C. Deep caries
- D. None of the above

Options :

✖ A

✖ B

✖ C

✔ D

Question Number : 30 Question Id : 4025572270 Question Type : MCQ Option Shuffling : No Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

निम्नलिखित में से किसे रेडियोग्राफी के द्वारा नहीं देखा जा सकता है?

A. इंटरप्रोक्सिमल केरीस

B. रूट केरीस

C. गहरी केरीस

D. उपरोक्त में से कोई नहीं

Options :

✖ A

✖ B

✖ C

✔ D

Question Number : 31 Question Id : 4025572271 Question Type : MCQ Option Shuffling : No Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

Snow shoe effect in prosthodontics indicates _____

- A. Broad coverage
- B. Physiological basing
- C. Indirect retention
- D. All of the above

Options :

✓ A

✗ B

✗ C

✗ D

Question Number : 31 Question Id : 4025572271 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

प्रोस्थोडोंटिक्स में स्नो शू प्रभाव ----- दर्शाता है

- A. बृहद अचादन
- B. शरीर वैज्ञानिक आधार
- C. अप्रत्यक्ष रुकना
- D. उपरोक्त सभी

Options :

✓ A

✗ B

✗ C

✖ D

Question Number : 32 Question Id : 4025572272 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

Which of the following is the richest source of calcium?

- A. Meat products
- B. Green leafy vegetables
- C. Milk products
- D. Sea foods

Options :

✖ A

✖ B

✔ C

✖ D

Question Number : 32 Question Id : 4025572272 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

निम्नलिखित में से कैल्शियम का सबसे अच्छा स्रोत कौनसा है?

- A. मांस उत्पाद
- B. हरी पत्तेदार सब्जियाँ
- C. दुग्ध उत्पाद
- D. समुद्री खाद्य

Options :

✘ A

✘ B

✔ C

✘ D

Question Number : 33 Question Id : 4025572273 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

Curdling of milk is caused by

- A. A large variety of useful bacteria
- B. The action of Rennin
- C. The action of Pepsin
- D. The high acid content in stomach

Options :

✘ A

✔ B

✘ C

✘ D

Question Number : 33 Question Id : 4025572273 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

दूध को दही बनाने का कारण है.....

- A. बृहद किस्म के उपयोगी बैक्टीरिया
- B. रेनिन की क्रिया
- C. पेप्सिन की क्रिया
- D. पेट में उच्च अम्ल घटक

Options :

✖ A

✔ B

✖ C

✖ D

Question Number : 34 Question Id : 4025572274 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

Mottled enamel is seen in

- A. Vitamin A deficiency
- B. Vitamin D deficiency
- C. Fluoride toxicity
- D. Teratogens

Options :

✖ A

✖ B

✔ C

✖ D

Question Number : 34 Question Id : 4025572274 Question Type : MCQ Option Shuffling : No Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

चिन्तीदार दंतवल्क में देखा जाता है।

- A. विटामिन ए की कमी
- B. विटामिन डी की कमी
- C. फ्लोराइड आविषता
- D. टेराटोजीन्स

Options :

✖ A

✖ B

✔ C

✖ D

Question Number : 35 Question Id : 4025572275 Question Type : MCQ Option Shuffling : No Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

The radiograph which shows condylar head orientation and facial symmetry

- A. Submento vertex
- B. Reverse town
- C. OPG
- D. Transorbital

Options :

✘ A

✔ B

✘ C

✘ D

**Question Number : 35 Question Id : 4025572275 Question Type : MCQ Option Shuffling : No Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0**

Correct Marks : 1 Wrong Marks : 0.33

कोंडीलार शीर्ष अभिविन्यास तथा आनन सममिति को दिखानेवाला विकिरणग्राफी है

- A. सबमेंटो भ्रमिल
- B. उत्क्रम टाउन
- C. ओपीजी
- D. ट्रांसऑरबिटल

Options :

✖ A

✔ B

✖ C

✖ D

Question Number : 36 Question Id : 4025572276 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

The process whereby nutrients are added to food to maintain or improve the quality of diet of a group is called

- A. Food addition
- B. Food fortification
- C. Food energization
- D. Food surveillance

Options :

✖ A

✔ B

✖ C

✖ D

Question Number : 36 Question Id : 4025572276 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

एक समूह के आहार की गुणवत्ता को बनाए रखने या उसे सुधारने के लिए खाने में मिलाए जाने वाले पोषक तत्वों की प्रक्रिया कहलाती है

- A. भोजन में जोड़ना
- B. खाद्य पुष्टिकरण
- C. खाद्य ऊर्जाकरण
- D. खाद्य निगरानी

Options :

✖ A

✔ B

✖ C

✖ D

Question Number : 37 Question Id : 4025572277 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

Community nutritional programs launched by Government of India are all except

- A. Vitamin A prophylaxis program
- B. Prophylaxis against nutritional anaemia
- C. Vitamin K prophylaxis program
- D. Special nutrition program

Options :

✖ A

✖ B

✔ C

✖ D

Question Number : 37 Question Id : 4025572277 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

भारत सरकार द्वारा चलाए जा रहे समुदायिक पोषण कार्यक्रम हैं सिवाय इसके

- A. विटामिन A रोग निरोधी कार्यक्रम
- B. पोषकीय रक्त अल्पता रोग निरोधी कार्यक्रम
- C. विटामिन K रोग निरोधी कार्यक्रम
- D. विशेष पोषण कार्यक्रम

Options :

✖ A

✖ B

✔ C

✖ D

Question Number : 38 Question Id : 4025572278 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

Chlorhexidine is ideal mouthwash as:

- A. It prevents plaque accumulator
- B. It prevents bacterial proliferation
- C. It breaks down plaque matrix
- D. It causes hemostasis

Options :

✖ A

✔ B

✖ C

✖ D

Question Number : 38 Question Id : 4025572278 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

क्लोरोहेक्सीडीन एक ऐसा आदर्श मुख-धावन है

- A. यह प्लेग संचायक से बचाता है
- B. यह जीवाणु प्रफलन से बचाता है
- C. यह चकत्ता मैट्रिक्स का ब्रेक डाउन करता है
- D. रक्तस्तंभन का कारण बनता है

Options :

✖ A

✔ B

✖ C

✖ D

Question Number : 39 Question Id : 4025572279 Question Type : MCQ Option Shuffling : No Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

Identify the anticalculus agent

- A. Soluble pyrophosphatase
- B. Insoluble pyrophosphatase
- C. Dextranase
- D. Mutanase

Options :

✓ A

✗ B

✗ C

✗ D

Question Number : 39 Question Id : 4025572279 Question Type : MCQ Option Shuffling : No Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

ऐंटिकैल्कुलस पदार्थ पहचानें

- A. घुलनशील पायरोफॉसफैटेस
- B. अघुलनशील पायरोफॉसफैटेस
- C. डेक्स्ट्रानेस
- D. म्यूटानेस

Options :

✓ A

✗ B

✗ C

✗ D

Question Number : 40 Question Id : 4025572280 Question Type : MCQ Option Shuffling : No Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

Contamination of mustard oil with argemone oil results in

- A. Neurolathyrism
- B. Ergot
- C. Epidemic dropsy
- D. Endemic ascites

Options :

✖ A

✖ B

✔ C

✖ D

Question Number : 40 Question Id : 4025572280 Question Type : MCQ Option Shuffling : No Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

सरसों के तेल में आर्गेमोन तेल के साथ संदूषण के परिणामस्वरूप

- A. न्यूरोलैथिरिज्म
- B. ऐरगॉट
- C. ऐपिडैमिक ड्रॉप्सि
- D. ऐन्डेमिक ऐसाइट्स

Options :

✖ A

✖ B

✔ C

✖ D

Question Number : 41 Question Id : 4025572281 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

Which of the following is recommended with preventive maintenance for implants?

- A. Titanium curette
- B. Chlorhexidine
- C. Ultrasonic scalers
- D. SS curette

Options :

✖ A

✔ B

✖ C

✖ D

Question Number : 41 Question Id : 4025572281 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

इम्लान्ट हेतु निवारक रखरखाव के साथ निम्नलिखित में से किसकी अनुशंसा की जाती है?

- A. टाइटेनियम खुरचनी
- B. क्लोरेक्सिडाइन
- C. पराश्रव्य स्केलर
- D. एसएस खुरचनी

Options :

✖ A

✔ B

✖ C

✖ D

Question Number : 42 Question Id : 4025572282 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

Which caries activity test measures the rapidity of acid formation in a stimulated saliva sample?

- A. Lactobacillus colony count
- B. Reductase test
- C. Snyder test
- D. Buffer capacity test

Options :

✖ A

✖ B

✔ C

✖ D

Question Number : 42 Question Id : 4025572282 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

कौन-सी गतिविधि परीक्षण उत्तेजित लार नमूने में अम्ल बनाने की गति को मापता है?

A. लाक्टोमासिलस कॉलोनी काउंट

B. अपचायक परीक्षण

C. स्नाइडर परीक्षण

D. बफर क्षमता परीक्षण

Options :

✖ A

✖ B

✔ C

✖ D

Question Number : 43 Question Id : 4025572283 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

Fusion of teeth is more common in

- A. Primary dentition
- B. Mixed dentition
- C. Permanent dentition
- D. None of the above

Options :

✓ A

✗ B

✗ C

✗ D

Question Number : 43 Question Id : 4025572283 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

दांतों का संलयन में अधिक सामान्य होता है

- A. प्राथमिक दंतोद्भेद
- B. मिश्रित दंतोद्भेद
- C. स्थाई दंतोद्भेद
- D. उपरोक्त में से कोई नहीं

Options :

✓ A

✗ B

✗ C

✖ D

Question Number : 44 Question Id : 4025572284 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

Fluoride is typically introduced in all of the following ways except by

- A. Drinking water
- B. Vitamins
- C. Injection
- D. Toothpaste

Options :

✖ A

✖ B

✔ C

✖ D

Question Number : 44 Question Id : 4025572284 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

निम्नलिखित सभी के द्वारा फ्लोराइड प्रविष्ट होता है, सिवाय इसके

- A. पेयजल
- B. विटामिन
- C. इंजेक्शन
- D. दंतमंजन

Options :

✘ A

✘ B

✔ C

✘ D

Question Number : 45 Question Id : 4025572285 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

Saliva plays important role in prevention of dental caries by

- A. Re-mineralisation
- B. Demineralisation
- C. Polymerisation
- D. Oxidation

Options :

✓ A

✗ B

✗ C

✗ D

Question Number : 45 Question Id : 4025572285 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

..... से दंतीय केरीस के निवारण में लार की महत्वपूर्ण भूमिका है।

- A. पुनः खनिजिकीकरण
- B. विखनिजिकीकरण
- C. बहुलकीकरण
- D. आवसीकरण

Options :

✓ A

✗ B

✗ C

✗ D

Question Number : 46 Question Id : 4025572286 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

Which of the following is most widely used in periodontal dressing?

- A. Non eugenol dressing
- B. Zinc oxide eugenol dressing
- C. Both A&B
- D. No dressing

Options :

✓ A

✗ B

✗ C

✗ D

Question Number : 46 Question Id : 4025572286 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

निम्न में से पेरिडॉन्टल ड्रेसिंग में अधिकांश इस्तेमाल किए जाने वाले हैं?

- A. नॉन इयूगेनॉल ड्रेसिंग
- B. जिंक ऑक्साइड इयूगेनॉल ड्रेसिंग
- C. दोनों A तथा B
- D. कोई ड्रेसिंग नहीं

Options :

✓ A

✖ B

✖ C

✖ D

Question Number : 47 Question Id : 4025572287 Question Type : MCQ Option Shuffling : No Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

Name the most sensitive indicator of health

- A. Crude death rate
- B. Infant mortality rate
- C. Health services utilization rate
- D. Maternal mortality rate

Options :

✖ A

✔ B

✖ C

✖ D

Question Number : 47 Question Id : 4025572287 Question Type : MCQ Option Shuffling : No Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

स्वास्थ्य के सबसे संवेदनशील सूचक का नाम है

- A. क्रूड मृत्यु दर
- B. शिशु मृत्यु दर
- C. स्वास्थ्य सेवाएं प्रयोग दर
- D. मातृ मृत्यु दर

Options :

✖ A

✔ B

✖ C

✖ D

Question Number : 48 Question Id : 4025572288 Question Type : MCQ Option Shuffling : No Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

The best position for a pregnant patient on a dental chair is _____

- A. Lying supine
- B. Left lateral position
- C. Lying supine with legs elevated
- D. Lying supine with head elevated

Options :

✖ A

✓ B

✗ C

✗ D

Question Number : 48 Question Id : 4025572288 Question Type : MCQ Option Shuffling : No Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

दंत कुर्सी पर किसी गर्भवती रोगी की सर्वोत्तम स्थिति है

- A. पीठ के बल लेटना
- B. बायीं पार्श्व स्थिति
- C. पैर ऊपर करके पीठ के बल लेटना
- D. सिर ऊपर करके पीठ के बल लेटना

Options :

✗ A

✓ B

✗ C

✗ D

Question Number : 49 Question Id : 4025572289 Question Type : MCQ Option Shuffling : No Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

Galagan's formula is to:

- A. Measure the amount of fluoride in toothpaste
- B. Measure the amount of fluoride in drinking water depending on age
- C. Calculate the fluoride concentration in drinking water depending on temperature of the area
- D. Assess the age of the individual by dentition

Options :

✖ A

✖ B

✔ C

✖ D

Question Number : 49 Question Id : 4025572289 Question Type : MCQ Option Shuffling : No Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

गलगन का सूत्र होता है.....

- A. दंतमंजन में फ्लोराइड की मात्रा मापने हेतु
- B. आयु के आधार पर पीने वाले पानी में फ्लोराइड की मात्रा मापने हेतु
- C. क्षेत्र के तापमान के आधार पर पीने वाले पानी में फ्लोराइड सांद्रण की गणना हेतु
- D. दंतोद्भेद द्वारा किसी की आयु का मूल्यांकन करने हेतु

Options :

✖ A

✖ B

✔ C

✖ D

Question Number : 50 Question Id : 4025572290 Question Type : MCQ Option Shuffling : No Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

The dental amalgam is most resistant to

- A. Impact stress
- B. Compressive stress
- C. Shear stress
- D. Tensile stress

Options :

✖ A

✔ B

✖ C

✖ D

Question Number : 50 Question Id : 4025572290 Question Type : MCQ Option Shuffling : No Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

दंतीय पारदमिश्रित ज्यादा प्रतिरोधी है.....

- A. प्रभाव प्रतिबल
- B. संपीडक प्रतिबल
- C. अपरूपण प्रतिबल
- D. तनन प्रतिबल

Options :

✘ A

✔ B

✘ C

✘ D

Question Number : 51 Question Id : 4025572291 Question Type : MCQ Option Shuffling : No Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

In forensic identification, which portion of the tooth serve as a source of DNA for DNA-testing?

- A. Vascular pulp of the tooth
- B. Odontoblastic process and cellular cementum
- C. Accessary canal
- D. All of the above

Options :

✘ A

✖ B

✖ C

✔ D

Question Number : 51 Question Id : 4025572291 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

न्यायवैद्यकीय परीक्षण में दंत के किस भाग को DNA-जांच के लिए DNA के स्रोत के रूप में लिया जाता है।

- A. दंत की वाहिका का गूदा
- B. ओडेंटोब्लास्टिक प्रक्रम तथा कोशिकीय सेमेंटम
- C. एक्सेसरी कैनाल
- D. उपरोक्त सभी

Options :

✖ A

✖ B

✖ C

✔ D

Question Number : 52 Question Id : 4025572292 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

Frey's syndrome is caused by injury to

- A. Auriculotemporal nerve
- B. Inferior alveolar nerve
- C. Mental nerve
- D. A&B

Options :

✓ A

✗ B

✗ C

✗ D

Question Number : 52 Question Id : 4025572292 Question Type : MCQ Option Shuffling : No Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

फ्रेस सिंड्रोम को चोट लगने के कारण होता है।

- A. ऑरिकुलोटेम्पोरल नर्व
- B. इनफ़ीरियर एल्वियोलर नर्व
- C. मेंटल नर्व
- D. ए एवं बी

Options :

✔ A

✘ B

✘ C

✘ D

Question Number : 53 Question Id : 4025572293 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

Spot the wrong statement about Zinc oxide-Eugenol cement

- A. Zinc oxide is mixed with eugenol
- B. It is a very soft element
- C. This cement is compatible with both hard and soft tissues of mouth
- D. It has a sedative effect on exposed dentin

Options :

✘ A

✔ B

✘ C

✘ D

Question Number : 53 Question Id : 4025572293 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

जिंक ऑक्साइड-युगिनाॅल सिमेंट के बारे में दिए गए गलत कथन को चिन्हित करें।

- A. जिंक ऑक्साइड युगिनाॅल से मिश्रित है
- B. यह बहुत ही मुलायम तत्व है
- C. यह सिमेंट मुँह के दोनों कठिन एवं मृदुल टिशुओं के साथ अनुकूल है
- D. उद्भासित डेंटिन पर शामक प्रभाव पड़ता है

Options :

✖ A

✔ B

✖ C

✖ D

Question Number : 54 Question Id : 4025572294 Question Type : MCQ Option Shuffling : No Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

The following are the rubber impression materials except

- A. Polysulfides
- B. Silicones
- C. Vinyl siloxane
- D. Silica

Options :

✖ A

✖ B

✖ C

✔ D

Question Number : 54 Question Id : 4025572294 Question Type : MCQ Option Shuffling : No Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

रबड़ पर छाप लेने के लिए सभी उपयुक्त हैं सिवाय इसके.....

- A. पॉलीसल्फाइड्स
- B. सिलिकॉन
- C. विनाइल सिलोक्सेन
- D. सिलिका

Options :

✖ A

✖ B

✖ C

✔ D

Question Number : 55 Question Id : 4025572295 Question Type : MCQ Option Shuffling : No Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

Most plausible factor for dental implant fracture

- A. Peri implantitis
- B. Bending overloads
- C. Non passive fit prosthesis
- D. Manufacturing imperfections

Options :

✘ A

✔ B

✘ C

✘ D

Question Number : 55 Question Id : 4025572295 Question Type : MCQ Option Shuffling : No Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

दंत रोप के फ्रैक्चर के सबसे संभावित कारण हैं

- A. पैरि इम्प्लांटिटिस
- B. बेंडिंग ओवरलोड्स
- C. नॉन पैसिव फिट प्रोस्थेसिस
- D. मैनुफैक्चरिंग इम्परफैक्शन्स

Options :

✖ A

✔ B

✖ C

✖ D

Question Number : 56 Question Id : 4025572296 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

Steps in plaque formation

a. Association b. Biofilm formation c. Proliferation d. Adhesion e. Micro colonies
f. Growth or Maturation

A. a,b,c,d,e,f

B. a,d,c,e,b,f

C. a,c,b,d,e,f

D. a,b,c,e,d,f

Options :

✖ A

✔ B

✖ C

✖ D

Question Number : 56 Question Id : 4025572296 Question Type : MCQ Option Shuffling : No Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

फलक बनाने में शामिल चरण हैं

- a. संघ b. जीवफिल्म निर्माण c. प्रचुरोद्भव d. चिपकाव
e. माइक्रो कॉलनियां f. वृद्धि या विकसित होना

- A. a,b,c,d,e,f
B. a,d,c,e,b,f
C. a,c,b,d,e,f
D. a,b,c,e,d,f

Options :

✖ A

✔ B

✖ C

✖ D

Question Number : 57 Question Id : 4025572297 Question Type : MCQ Option Shuffling : No Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

The property which allows cast gold to be burnished is

- A. Resilience
- B. Percentage elongation
- C. Rigidity
- D. Surface hardness

Options :

✓ A

✗ B

✗ C

✗ D

Question Number : 57 Question Id : 4025572297 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

पिटवां लोहे का वह गुणधर्म जो उसे बर्निश की अनुमति देता है

- A. प्रत्यास्थता
- B. प्रतिशत दीर्घीकरण
- C. दृढ़ता
- D. पृष्ठ कठोरता

Options :

✓ A

✗ B

✗ C

✖ D

Question Number : 58 Question Id : 4025572298 Question Type : MCQ Option Shuffling : No Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

In visible light cured composites activation is achieved by

- A. N-N-P toluidine
- B. Benzoyl methyl ether
- C. Camphor Quinone
- D. Bis-phenol-A

Options :

✖ A

✖ B

✔ C

✖ D

Question Number : 58 Question Id : 4025572298 Question Type : MCQ Option Shuffling : No Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

दृश्य प्रकाश में संसाधित संयोजित सक्रियणद्वारा पाया जाता है।

- A. एन-एन-पी टॉल्यूडीन
- B. बेन्ज़ोइल मिथाइल ईथर
- C. कैम्फर कीनोन
- D. बिस-फिनोल-ए

Options :

✖ A

✖ B

✔ C

✖ D

Question Number : 59 Question Id : 4025572299 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

Alginate impression material is:

- A. A non-elastic impression material
- B. Thermoplastic impression material
- C. More monostatic than ZOE (Zinc Oxide Eugenol)
- D. Less monostatic than ZOE (Zinc Oxide Eugenol)

Options :

✖ A

✖ B

✖ C

✔ D

Question Number : 59 Question Id : 4025572299 Question Type : MCQ Option Shuffling : No Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

एलिग्रेट छाप सामग्री है.....

- A. एक अप्रत्यास्थ छाप सामग्री
- B. ताप सुघट्य छाप सामग्री
- C. जेडओई (जिंक ऑक्साइड यूगेनॉल) की तुलना में अधिक मोनास्टैटिक
- D. जेडओई (जिंक ऑक्साइड यूगेनॉल) की तुलना में कम मोनास्टैटिक

Options :

✖ A

✖ B

✖ C

✔ D

Question Number : 60 Question Id : 4025572300 Question Type : MCQ Option Shuffling : No Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

In dental amalgam, the alloys and mercury are mixed in the ratio of _____

- A. 1:1
- B. 1:2
- C. 2:1
- D. 1:3

Options :

✓ A

✗ B

✗ C

✗ D

Question Number : 60 Question Id : 4025572300 Question Type : MCQ Option Shuffling : No Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

दंत मिश्रधातु में धातु और मरकरी को ----- अनुपात में मिलाया जाता है।

- A. 1:1
- B. 1:2
- C. 2:1
- D. 1:3

Options :

✓ A

✗ B

✗ C

✗ D

Question Number : 61 Question Id : 4025572301 Question Type : MCQ Option Shuffling : No Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

Type 1 gypsum product is also called as _____

- A. Impression plaster
- B. Class-I stone / Hydrocal
- C. Class-II stone / Densite
- D. Model plaster

Options :

✓ A

✗ B

✗ C

✗ D

Question Number : 61 Question Id : 4025572301 Question Type : MCQ Option Shuffling : No Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

टाइप 1 प्रकार के जिप्सम को भी कहा जाता है।

- A. अंकन प्लास्टर
- B. क्लास-I स्टोन/हाइड्रोकल
- C. क्लास-II स्टोन / डेंसाइट
- D. मॉडल प्लास्टर

Options :

✔ A

✘ B

✘ C

✘ D

Question Number : 62 Question Id : 4025572302 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

The anticonvulsant drug phenytoin causes gingival _____

- A. Inflammation
- B. Hyperplasia
- C. Atrophy
- D. Aplasia

Options :

✘ A

✔ B

✘ C

✘ D

Question Number : 62 Question Id : 4025572302 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

प्रतिआपेक्षक औषधि फेनायटोइन के कारण मसूड़े में -----

- A. जलन होती है
- B. अतिविकसन होता है
- C. अपुष्टि होती है
- D. अविकसन होता है

Options :

✖ A

✔ B

✖ C

✖ D

Question Number : 63 Question Id : 4025572303 Question Type : MCQ Option Shuffling : No Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

Which is not a method of sterilization

- A. Autoclave
- B. Dry heat oven
- C. Radiation
- D. Boiling

Options :

✖ A

✖ B

✖ C

✔ D

Question Number : 63 Question Id : 4025572303 Question Type : MCQ Option Shuffling : No Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

कौन सी विधि विसंक्रमणन की नहीं है

- A. ऑटोक्लेव
- B. शुष्क तप्त ऑवन
- C. विकिरण
- D. उबालना

Options :

✖ A

✖ B

✖ C

✔ D

Question Number : 64 Question Id : 4025572304 Question Type : MCQ Option Shuffling : No Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

Lathyrism is caused due to

- A. Iodine deficiency
- B. Lethargy
- C. Consumption of khesari dal
- D. Consumption of castor oil

Options :

✖ A

✖ B

✔ C

✖ D

Question Number : 64 Question Id : 4025572304 Question Type : MCQ Option Shuffling : No Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

कलायखंज (लेथिरिज्म) का क्या कारण होता है?

- A. आयोडीन की कमी
- B. आलस्य
- C. खेसारी दाल का सेवन
- D. अण्डी तेल का सेवन

Options :

✖ A

✖ B

✔ C

✖ D

Question Number : 65 Question Id : 4025572305 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

The colour of nitrous oxide cylinder is

A. Red

B. Blue

C. White

D. Black

Options :

✖ A

✔ B

✖ C

✖ D

Question Number : 65 Question Id : 4025572305 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

नाइट्रस ऑक्साइड सिलिंडर का रंग है:

- A. लाल
- B. नीला
- C. सफ़ेद
- D. काला

Options :

✖ A

✔ B

✖ C

✖ D

Question Number : 66 Question Id : 4025572306 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

Arecanut chewing is an aetiological factor in formation of:

- A. Leucoplakia
- B. Oral submucous fibrosis
- C. Oral lichen planus
- D. Erythema multiforme

Options :

✖ A

✓ B

✗ C

✗ D

Question Number : 66 Question Id : 4025572306 Question Type : MCQ Option Shuffling : No Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

..... के निर्माण में अरेकानट चबाना एक ऐडियोलॉजीकल कारक है

- A. श्वेतरक्तता
- B. मौखिक उप श्लेष्मा फाइब्रोसिस
- C. मौखिक लिचेन प्लानस
- D. त्वचा रक्तिमा

Options :

✗ A

✓ B

✗ C

✗ D

Question Number : 67 Question Id : 4025572307 Question Type : MCQ Option Shuffling : No Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

Biomedical waste management & handling rule by the Govt. of India came into force in

- A. 1988
- B. 1998
- C. 1991
- D. 2008

Options :

✘ A

✔ B

✘ C

✘ D

Question Number : 67 Question Id : 4025572307 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

भारत सरकार द्वारा जैव चिकित्सीय अपशिष्ट प्रबंधन एवं प्रहस्तन नियम ----- में लागू किया गया

- A. 1988
- B. 1998
- C. 1991
- D. 2008

Options :

✘ A

✔ B

✖ C

✖ D

Question Number : 68 Question Id : 4025572308 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

Gingiva is supplied by:

- A. Apical vessels
- B. Supra-periosteal vessels
- C. Sub-periosteal vessels
- D. All of the above

Options :

✖ A

✔ B

✖ C

✖ D

Question Number : 68 Question Id : 4025572308 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

जिंजीवा की आपूर्ति करती हैं

- A. एपिकल नलिकाएं
- B. सुप्रा-पेरियोस्टील नलिकाएं
- C. सब-पेरियोस्टील नलिकाएं
- D. उपरोक्त सभी

Options :

✖ A

✔ B

✖ C

✖ D

Question Number : 69 Question Id : 4025572309 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

The active portion of Hawley appliance is

- A. The anterior labial wire
- B. The base plate
- C. The circumferential clasp
- D. The retentive clasp

Options :

✔ A

✖ B

✖ C

✖ D

Question Number : 69 Question Id : 4025572309 Question Type : MCQ Option Shuffling : No Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

हावली उपकरण का सक्रिय भाग है

- A. पूर्ववर्ती ओष्ठ्य तार
- B. आधार प्लेट
- C. परिधीय बंध
- D. धारणशील बंध

Options :

✔ A

✖ B

✖ C

✖ D

Question Number : 70 Question Id : 4025572310 Question Type : MCQ Option Shuffling : No Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

The unique function of alveolar process includes

- A. Connects the maxilla to the skull
- B. Helps in opening and closing jaws
- C. Withstands the forces put on your mouth by chewing
- D. All of the above

Options :

✖ A

✖ B

✔ C

✖ D

Question Number : 70 Question Id : 4025572310 Question Type : MCQ Option Shuffling : No Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

एलवियोलार प्रक्रिया का विशिष्ट कार्य है

- A. खोपड़ी के साथ मैक्सिला को जोड़ता है
- B. जबड़े को खोलने एवं बंद करने में सहायक
- C. चबाने से आपके मुँह में बलों को सहन करना
- D. उपरोक्त सभी

Options :

✖ A

✖ B

✔ C

✖ D

Question Number : 71 Question Id : 4025572311 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

The instrument used to measure the depth of gingival sulcus is _____

- A. Shepherd's hook
- B. Periodontal probe
- C. Dental tweezer
- D. Howe plier

Options :

✖ A

✔ B

✖ C

✖ D

Question Number : 71 Question Id : 4025572311 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

मसूड़े के खांचे की गहराई मापने के लिए ----- यंत्र का उपयोग किया जाता है।

- A. शेफर्ड हुक
- B. पीरियोडॉटल प्रोब
- C. डेंटल ट्रीजर
- D. होव प्लायर

Options :

✖ A

✔ B

✖ C

✖ D

Question Number : 72 Question Id : 4025572312 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

All the following are types of laws except

- A. Civil law
- B. Criminal law
- C. Statutory law
- D. Fundamental law

Options :

✖ A

✖ B

✖ C

✔ D

Question Number : 72 Question Id : 4025572312 Question Type : MCQ Option Shuffling : No Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

सिवाय किसके बाकी सभी कानूनों के प्रकार हैं

- A. नागरिक कानून
- B. अपराधी कानून
- C. सांविधिक कानून
- D. मौलिक कानून

Options :

✖ A

✖ B

✖ C

✔ D

Question Number : 73 Question Id : 4025572313 Question Type : MCQ Option Shuffling : No Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

The most common site of fracture of mandible is

- A. Condyle
- B. Angle of mandible
- C. Body
- D. Symphysis pubis

Options :

✖ A

✔ B

✖ C

✖ D

Question Number : 73 Question Id : 4025572313 Question Type : MCQ Option Shuffling : No Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

जबड़े की संरचना का सामान्य स्थान है.....

- A. स्थूलक
- B. जबड़े का कोण
- C. शरीर
- D. संधानक जघनास्थि

Options :

✖ A

✓ B

✗ C

✗ D

Question Number : 74 Question Id : 4025572314 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

After an outbreak of herpetic gingivostomatitis, the herpes simplex virus may remain dormant in which of the following.

A. Sensory ganglion

B. Salivary glands

C. Blood

D. Lymph nodes

Options :

✓ A

✗ B

✗ C

✗ D

Question Number : 74 Question Id : 4025572314 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

हर्पेटिक जिंगिवोस्टोमैटिटिस के आने के बाद, हरपीस सिम्प्लैक्स विषाणु निम्न में से किसमें निष्क्रिय होकर रह जाता है।

- A. सैन्सरी गैंगलियोन
- B. लार ग्रंथि
- C. रक्त
- D. लिम्फ नोड्स

Options :

✓ A

✗ B

✗ C

✗ D

Question Number : 75 Question Id : 4025572315 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

The formula for Dental stone is

- A. CaSO_4
- B. $\text{CaSO}_4 \cdot 3\text{H}_2\text{O}$
- C. $\text{CaSO}_4 \cdot 2\text{H}_2\text{O}$
- D. CaCO_3

Options :

✖ A

✖ B

✔ C

✖ D

Question Number : 75 Question Id : 4025572315 Question Type : MCQ Option Shuffling : No Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

दंत स्टोन का फॉर्मूला है

A. CaSO_4

B. $\text{CaSO}_4 \cdot 3\text{H}_2\text{O}$

C. $\text{CaSO}_4 \cdot 2\text{H}_2\text{O}$

D. CaCO_3

Options :

✖ A

✖ B

✔ C

✖ D

Question Number : 76 Question Id : 4025572316 Question Type : MCQ Option Shuffling : No Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

The term diphyodont means

- A. Second dentition
- B. Two same sets of dentitions
- C. Two separate sets of dentitions
- D. More than two sets of dentitions

Options :

✖ A

✖ B

✔ C

✖ D

Question Number : 76 Question Id : 4025572316 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

डिफ्योडॉन्ट शब्द का अर्थ है

- A. द्वितीय दंतोद्भेद
- B. दंतोद्भेद के दो एक जैसे सेट
- C. दंतोद्भेद के दो अलग सेट
- D. दंतोद्भेद के दो से ज्यादा सेट

Options :

✖ A

✖ B

✔ C

✖ D

Question Number : 77 Question Id : 4025572317 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

Most common missing tooth in permanent dentition is:

- A. Maxillary canine
- B. Maxillary first molar
- C. Mandibular second premolar
- D. Mandibular first molar

Options :

✖ A

✖ B

✔ C

✖ D

Question Number : 77 Question Id : 4025572317 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

स्थार्ई दंतोद्भेद में सबसे अधिक न मिलने वाला दांत है....

- A. ऊध्वहनु कैनाइन
- B. ऊध्वहनु प्रथम चर्वण
- C. अधोहनु द्वितीय अग्रचर्वणक
- D. अधोहनु प्रथम चर्वण

Options :

✖ A

✖ B

✔ C

✖ D

Question Number : 78 Question Id : 4025572318 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

Following are the special stains used for bacteria except

- A. Donder
- B. Neisser
- C. Albert
- D. Methylene Blue

Options :

✖ A

✖ B

✖ C

✔ D

Question Number : 78 Question Id : 4025572318 Question Type : MCQ Option Shuffling : No Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

जीवाणु के लिए निम्नलिखित विशेष रंजक प्रयोग किए जाते है सिवाय इसके

- A. डोंडर
- B. नेइजर
- C. एलबर्ट
- D. मिथाइलीन नीला

Options :

✘ A

✘ B

✘ C

✔ D

Question Number : 79 Question Id : 4025572319 Question Type : MCQ Option Shuffling : No Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

Development of permanent teeth is initiated by

- A. Dental Lamina
- B. Enamel Organ
- C. New teeth buds
- D. Successional Lamina

Options :

✘ A

✘ B

✘ C

✔ D

Question Number : 79 Question Id : 4025572319 Question Type : MCQ Option Shuffling : No Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

स्थायी दंत का विकास से प्रारंभ होता है।

- A. दंतीय लामिना
- B. एनामिल ऑर्गान
- C. नए दंत बड्स
- D. सक्सेशन लामिना

Options :

✖ A

✖ B

✖ C

✔ D

Question Number : 80 Question Id : 4025572320 Question Type : MCQ Option Shuffling : No Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

Mouth breathing results in

- A. Hypotonic lower lip
- B. Hypertonic lower lip
- C. Hypotonic upper lip
- D. Hypertonic upper lip

Options :

✖ A

✖ B

✔ C

✖ D

Question Number : 80 Question Id : 4025572320 Question Type : MCQ Option Shuffling : No Is
Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum
Instruction Time : 0

Correct Marks : 1 Wrong Marks : 0.33

मुंह से सांस लेने के परिणामस्वरूप

- A. हाइपोटॉनिक निचला होंठ
- B. हाइपरटॉनिक निचला होंठ
- C. हाइपोटॉनिक ऊपरी होंठ
- D. हाइपरटॉनिक ऊपरी होंठ

Options :

✘ A

✘ B

✔ C

✘ D